

# TECHNICAL SPECIFICATIONS

# PIXMA PRO-200S

<b>Class</b>	-	
<b>PRINT HEAD / INK Type</b>	ChromaLife 100+	
<b>Number of Nozzles</b>	Total 6,144 nozzles (Y/M/C/PC/PM/Gy/Bk/LGY each 768 nozzles x 8)	<b>Manual Feed</b>
<b>Ink Tank</b>	CLI-65 (C/M/Y/BK/PC/GY/PM/LGY) All dye	Matte Photo Paper (MP-101): 4"x6" (10x15cm) = 20 A4 /A3 = 10 A3+ = 1 Light Fabric Iron-on Transfers = 1 Dark Fabric Iron-on Transfers = 1 Photo Paper Pro Platinum (PT-101): A3/A4/LTR/8" x 10" (20 x 25cm) /10" x 12" (25x30cm) /A3+ = 1 Photo Paper Plus Glossy II (PP-201): A4/A3/A3+ = 1 Photo Paper Pro Luster (LU-101): A4/A3/A3+ = 1 Photo Paper Plus Semi-gloss (SG-201): A4/A3/8" x 10" (20 x 25cm) /10" x 12" (25x30cm) /A3+ = 1 Matte Photo Paper (MP-101): A4/A3/A3+ = 1 Photo Paper Pro Premium Matte (PM-101): A4/A3/A3+ = 1 Premium Fine Art Rough (FA-RG1):A4/A3/A3+ = 1 Light Fabric Iron-on Transfers = 1 Dark Fabric Iron-on Transfers = 1 1 (Multi-purpose Tray) *For further details on paper load limits, please refer to the online manual
<b>MAXIMUM PRINTING RESOLUTION</b>	4800 (horizontal) <sup>1</sup> x 2400 (vertical) dpi	<b>Multi-Purpose Tray</b>
<b>PRINT SPEED</b>		
<b>Print Speed</b>	Photo (11"x14" image on A3+ with Border) <sup>2</sup> Colour/PT-101: approx.1 m 30s Black/PT-101: approx.2 m 50s	<b>PAPER WEIGHT</b>
<b>MAXIMUM PRINTABLE PAPER SIZE</b>		<b>Top Tray</b>
<b>Top Tray (width)</b>	Top Tray : Up to 322.2 mm (12.7 inch, Borderless Printing) : Up to 329 mm (A3+) (13 inch)	Plain Paper : 64-105 g/m2 Canon Genuine paper (maximum) : approx. 380 g/m
<b>Manual Feed (width)</b>	Manual Feed : Up to 323.4mm (12.7 inch, Borderless Printing) : Up to 329 mm (13 inch)	<b>Cassette</b>
<b>Custom (length)</b>	990.60mm (bordered)	<b>Manual Feed</b>
<b>Printable Area</b>		
<b>Borderless Printing</b>	Top/Bottom/Right/Left margin: each 0 mm	<b>Canon Genuine paper (maximum) ; approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less</b>
<b>Bordered Printing</b>	Top margin: 3 mm , Bottom margin: 5 mm / Left/Right margin: each 3.4 mm Recommended Top/Bottom/Right/Left margin for Fine Art Paper: each 25 mm	<b>CARTRIDGES AND YIELDS</b>
<b>SUPPORT MEDIA</b>		<b>Page Yield (4x6" PT-101)</b>
<b>Top Tray</b>	Plain Paper (64-105 g/m2)/ Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201)/ Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Hagaki/ Lightweight Photo Paper (BOX)/Japanese Paper Washi (BOX)/ Canvas (BOX)/ Red Label Superior 80 g/m2 (WOP111)/ Canon Océ Office Colour Paper 80 g/m2(SAT213)/ Heavyweight Fine Art Paper(BOX)/ Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208), High Resolution Paper (HR-101N), Photo Paper Glossy (GP-501), Envelope, Light Fabric Iron Transfers(LF-101),Dark Fabric Iron Transfers (DF 101)	Number of 10x15cm photos Black (BK): 860 photos* Grey (GY): 595 photos* Light Grey (LGY): 965 photos* Cyan (C): 482 photos* Photo Cyan (PC): 275 photos Magenta (M): 610 photos* Photo Magenta (PM): 320 photos Yellow (Y): 295 photos * Estimated Supplemental Yield
<b>Manual Feed</b>	Photo Paper Pro Platinum (PT-101)/Photo Paper Plus Glossy II (PP-201) /Photo Paper Pro Luster (LU-101)/ Photo Paper Plus Semi-gloss (SG-201)/ Matte Photo Paper (MP-101)/ Photo Paper Pro Premium Matte (PM-101) / Premium Fine Art Rough (FA-RG1)/ Photo Paper Glossy (GP-501), Light Fabric Iron Transfers(LF-101), Dark Fabric Iron Transfers (DF 101)	<b>Page Yield (A3+ PT-101)</b>
<b>Multi-purpose Tray</b>	Printable Nail Sticker (NL-101) / Printable Disk	Number of A3+ photos Black (BK): 69 photos* Grey (GY): 96 photos* Light Grey (LGY): 139 photos* Cyan (C): 51 photos Photo Cyan (PC): 59 photos* Magenta (M): 77 photos* Photo Magenta (PM): 54 photos Yellow (Y): 55 photos * Estimated Supplemental Yield
<b>PAPER SIZE</b>		<b>CONNECTIVITY</b>
<b>Top Tray (Maximum Number)</b>	A3+/A3/A4/A5/B4/B5/7" x 10" (18x25cm) / 12" x 12" (30x30cm) / 4"x6" (10x15cm) / 5" x 7" (13x18cm) / 8" x 10" (20 x 25cm) / 10" x 12" (25x30cm) / Square 5" (127x127 mm) Custom size(width 89 mm - 329 mm, length 127 mm - 990.6 mm ) Envelopes(DL, COM10)	<b>Interface</b>
<b>Manual Feed (Maximum Number)</b>	A3+/A3/A4/B4/12" x 12" (30x30cm) 8" x 10" (20 x 25cm) /10" x 12" (25x30cm) Custom size (width 203.2 mm - 330.2 mm, length 254 mm - 990.6 mm )	USB B Port - Hi-Speed USB Available Network type: SNMP/ HTTP/TCP/IP(IPv4/IPv6) Data rate: 10Mbps/100Mbps (Auto switching) Security: IEEE 802.1X(EAP-TLS/EAP-TTLS/PEAP) Available Network type: IEEE802.11n/IEEE802.11g/IEEE802.11b/IEEE802.11a Frequency Band: 2.4GHz Channel : EUR / EMBU Range: Indoor 50 m ※depends on the transmission speed and conditions Security: WPA-PSK(AES) WPA2-PSK(AES) WPA3-SAE(AES) WPA-EAP(AES)* WPA2-EAP(AES)* WPA3-EAP(AES)*
<b>Multi-purpose Tray</b>	120x120 mm	* IEEE802.1X(EAP-TLS/EAP-TTLS/PEAP) available
<b>PAPER SIZE (BORDERLESS)</b>		<b>Wireless LAN</b>
<b>Paper Size (Borderless)</b>	A3+/A3/A4/7" x 10" (18x25cm) / 12" x 12" (30x30cm) / 4"x6" (10x15cm) / 5" x 7" (13x18cm) / 8" x 10" (20 x 25cm) / 10" x 12" (25x30cm) / Square 5" (127x127 mm)	
<b>PAPER HANDLING</b>		<b>SYSTEM REQUIREMENTS</b>
<b>Top Tray</b>	Plain Paper: A4/A5/B5 = 100 B4/A3= 50 Photo Paper Pro Platinum (PT-101): 4"x6"(10x15cm) = 20 A3/A4/ 8" x 10" (20 x 25cm) = 10 10" x 12" (25x30cm) /A3+ = 1 Photo Paper Plus Glossy II (PP-201): 4"x6" (10x15cm) / Square 5" (127 x127mm) = 20 A3 / A4 / 8" x 10" (20 x 25cm) = 10 5"x7" (13x18cm) = 10 A3+ = 1 Photo Paper Pro Luster (LU-101): A4 /A3 = 10 A3+ = 1 Photo Paper Plus Semi-gloss (SG-201):4"x6" (10x15cm) = 20 A4 /A3/ 5" x 7" (13x18cm) / 8" x 10" (20 x 25cm) = 10 10" x 12" (25x30cm) / A3+ = 1	<b>Supported Operating Systems</b>
		Windows 7 SP1, Windows 8.1, Windows 10, Windows 11 Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
		<b>Supported Mobile Systems</b>
		Mac OS OS11.7.10 - OS15
		Chrome OS -
		<b>SOFTWARE SUPPORT+B50:B68</b>
		Available
		<b>Canon Professional Print &amp; Layout</b>

# TECHNICAL SPECIFICATIONS

# PIXMA PRO-200S

<b>Adobe Photoshop / Lightroom</b>	Supported via Canon PPL Plugin
<b>PRINT APPLICATIONS &amp; METHODS</b>	
<b>Canon PRINT Inkjet/SELPHY</b>	Available
<b>AirPrint</b>	Available
<b>Mopria</b>	Available
<b>Canon Print Service (for Android)</b>	Available
<b>PIXMA Cloud Link</b>	Available
<b>WiFi Pictbridge</b>	Available
<b>OPERATION PANEL</b>	
<b>Display</b>	3.0 inch/7.5cm LCD(Display Panel, Color)
<b>Language</b>	33 Languages Selectable: Japanese / English (mm & inch) / German / French / Italian / Spanish / Dutch / Portuguese / Norwegian / Swedish / Danish / Finnish / Russian / Czech / Hungarian / Polish / Slovene / Turkish / Greek / Simplified Chinese / Traditional Chinese / Korean / Indonesian / Slovakian / Estonian / Latvian / Lithuanian / Ukrainian / Romanian / Bulgarian / Thai / Croatian / Vietnamese
<b>ACOUSTIC NOISE (PC PRINT)</b>	
<b>Acoustic Noise</b>	Plain Paper(A4, Color) = Approx. 42.5db Photo Paper Pro Platinum (PT-101) (4x6,Color, borderless) = Approx. 42.2db <sup>3</sup>
<b>Quiet Mode</b>	-
<b>POWER</b>	
<b>Power</b>	AC 100 -240 V 50 /60 Hz
<b>POWER CONSUMPTION</b>	
<b>Standby USB Connection to PC</b>	Approx 1.1W
<b>Off</b>	Approx. 0.05W
<b>Printing / USB Connection to PC</b>	Approx 17W
<b>Standby All Ports Connected</b>	Approx. 2.3W
<b>Time To Enter Standby Mode</b>	Approx. 3 min 3 sec <EU only - for ErP Lot 26 regulation>
<b>DIMENSIONS (W x D x H)</b>	
<b>Factory Configuration</b>	Approx. 639 x 379 x 200 mm
<b>Output/ADF Trays Extended</b>	Approx. 639 x 837 x 416 mm
<b>WEIGHT</b>	
<b>Weight</b>	Approx. 14.1kg

## Footnotes: -

[1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.

[2] Photo print speed is based on the default setting using ISO/JIS-SCID N2 and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

[3] Acoustic Noise is measured based on ISO7779 standard with default setting.

**YOUR TRUE COLOURS,  
PRINTED TO PERFECTION**

# PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.

**Sales Start Date: January 2025**



## Product details

Product Name	Mercury Code	EAN Code
PIXMA PRO-200S EUM/EMB	6875C008AA	4549292240047

## Consumables

Product Name	Mercury Code	EAN Code
CLI-65 BK EUR/OCN	4215C001AA	4549292159226
CLI-65 C EUR/OCN	4216C001AA	4549292159257
CLI-65 M EUR/OCN	4217C001AA	4549292159288
CLI-65 Y EUR/OCN	4218C001AA	4549292159318
CLI-65 GY EUR/OCN	4219C001AA	4549292159349
CLI-65 PC EUR/OCN	4220C001AA	4549292159370
CLI-65 PM EUR/OCN	4221C001AA	4549292159417
CLI-65 LGY EUR/OCN	4222C001AA	4549292159448

**YOUR TRUE COLOURS,  
PRINTED TO PERFECTION**

# PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



## Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)	Net Weight (kg)
PIXMA PRO-200S EUM/EMB	6875C008AA	EA	Each	1	730	470	350	19.5	14.8
		CT	Carton	6	730	940	1060	118.5	88
		EP	Euro Pallet	6	730	940	1060	118.5	88

**YOUR TRUE COLOURS,  
PRINTED TO PERFECTION**

# PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



## What's in the box

### PIXMA PRO-200S

- PIXMA PRO-200S EUM/EMB
- Power cord UK type
- Power cord Pan-European type
- CD-Printing Tray
- Setup software & User's manual CD\*

\*only for Windows

- Users Guide (E-manual)
- European Warranty System (EWS) A3 Leaflet
- 8 individual ink tanks

